


## Over Crank Shearing Machine



MECHANICAL SERIES



**Capacity :**  
610mm x 1mm to  
3125 x 16mm

# Over Crank Shearing Machine

## Technical Specification

MODEL	CUTTING CAP. MM (L)	CUTTING CAP. MM (T)	TABLE WIDTH	TABLE HEIGHT	FRONT GAUGE	REAR GAUGE	STROKE PER MINIT	BLADE SIZE LxWxT	POWER HP	OVERALL DIMENSION	APPROX WEIGHT in kgs.
SOCS-0612	1270	6	450	800	1050	750	25	1300x18x75	7.5	2300x1900x2300	3500
SOCS-0615	1525	6	450	800	1050	750	25	1550x18x75	7.5	2600x2000x2400	4400
SOCS-0620	2030	6	450	800	1050	750	25	2050x18x75	12.5	3500x2100x2400	5500
SOCS-0625	2540	6	450	800	1050	750	25	2565x18x75	15	4200x2100x2400	6500
SOCS-0630	3125	6	450	800	1050	750	25	3150x18x75	15	4200x2100x2400	6500
SOCS-0812	1270	8	450	800	1050	750	20	1300x18x75	10	2300x1900x2300	4500
SOCS-0815	1525	8	450	800	1050	750	20	1550x18x75	10	2700x2100x2400	5000
SOCS-0820	2030	8	450	850	1050	750	20	2050x18x75	12.5	3200x2100x2500	5700
SOCS-0825	2540	8	450	850	1050	750	20	2565x22x75	15	3700x2150x2600	6500
SOCS-0830	3125	8	500	850	1100	750	20	3150x22x75	20	4300x2150x2600	7200
SOCS-1015	1525	10	450	850	1050	750	20	1550x22x100	12.5	2650x2100x2500	5500
SOCS-1020	2030	10	450	850	1050	750	20	2050x22x100	15	3300x2200x2600	6700
SOCS-1025	2540	10	500	850	1100	1000	20	2565x22x100	20	3700x2200x2700	8500
SOCS-1030	3125	10	500	850	1100	1000	20	3150x22x100	25	4300x2200x2700	9500
SOCS-1315	1525	13	450	850	1050	1000	20	1550x25x100	15	2650x2100x2500	6000
SOCS-1320	2030	13	450	850	1050	1000	20	2050x25x100	15	3400x2200x2700	7000
SOCS-1325	2540	13	500	850	1100	1000	20	2565x25x100	25	3800x2200x2700	9000
SOCS-1330	3125	13	500	850	1100	1000	20	3150x25x100	30	4400x2300x2800	11000
SOCS-1620	2030	16	500	850	1100	1000	20	2050x25x100	25	3600x2300x3000	9000
SOCS-1625	2540	16	500	850	1100	1000	20	2565x25x100	30	4000x2400x3100	12000
SOCS-1630	3125	16	500	850	1100	1000	20	3150x25x100	40	4500x2400x3150	15000

### Standard Features:

- Manual Lubrication System
- Gear & Wheel Guard
- Front T-Slot Support
- Rear Gauge with Scale
- Motor Stand
- Side Gauge
- Foot Pedal
- Four Edge HCHCR Blades for M.S. & S.S

### Optional Accessories:

- Motorised Back Gauge with DRO
- NC Controller with AC Servo Motor & Ball Screw
- Steel Ball Transfer Mounted on Table
- Electric Motor Stander Company
- Electric Penal
- V-Belt